



Category 6 U/UTP - Unshielded Twisted Pair LSZH Patch Cords

Category 6 Unshielded twisted pair (U/UTP) patch cords are manufactured with high quality U/UTP cable. They are 100% factory tested and fully comply with the requirements of ISO/IEC 11801 and TIA/EIA 568. OptronicsPlus Cat6 U/UTP patch cords exceed Cat6/Class E performance requirements and support 10BASE-T, 100BASE-TX and 1000Base-T applications. They are available with flame retardant LSZH jacket.

Features

- 24 AWG LSZH cable
 - High grade 50µ gold plated RJ45 connector
 - Exceed Cat6 performance requirements
 - ISO/IEC 11801 and TIA/EIA568 compliant
 - RoHS, REACH and SvHC compliant
 - Available in multiple colours
 - Available in multiple lengths
 - 100% factory tested
 - Flame retardant LSZH jacket
-

Applications

- Cat6/Class E up to 250Mhz applications
 - 10BASE-T, 100BASE-TX, 1000Base-T applications
 - Backwards compatible with Category 5e distribution systems
-

Specifications

CONSTRUCTION		VALUE
Conductors	AWG	24
	Size (mm)	7/0.20 +/- 0.008
	Material	Bare Copper
Insulators	Diameter (mm)	0.98 +/- 0.05
	Material	Polyolefin
	External O. D.	6.0 +/- 0.20
Jacket	Thickness (mm)	0.5
	Material	LSZH

Standards Compliance

- Class E / Category 6
- ANSI/TIA/EIA-568-C.2
- ISO/IEC 11801: 2002/Amd.2:2010
- ISO/IEC 60603-7
- IEC 60512-12-5
- RoHS
- REACH / SvHC

Ordering Information

	Category		Cable Type		Colour		Jacket Type		Length	
OPCC	6	Cat6	1	U/UTP	1	Grey	1	LSZH	01	1 m
					2	Blue			02	2 m
					3	Yellow			03	3 m
					4	Green			05	5 m
					5	Red			10	10 m
					6	Black			15	15 m
					7	White			20	20 m
					8	Orange				
					9	Brown				

Example order code

OPCC	-	6	-	1	1	1	-	01
------	---	---	---	---	---	---	---	----

Cat6 U/UTP Patch Cord LSZH Grey 1m

OPCC	-	6	-	1	3	1	-	10
------	---	---	---	---	---	---	---	----

Cat6 U/UTP Patch Cord LSZH Yellow 10m

Technical Drawing

