



DIN-FB Din Rail Terminal Box

DIN-FB Series plastic terminal box is suitable for protective connection of fiber optic cable and pigtail, the box is made of ABS + PC flame retardant plastic, and the adapter panel is made of high quality cold plate material. This terminal box is mounted on the din rail.

Features

- ABS + PC flame retardant plastic material, light, meet the UL94-V0
- Flip design, compact structure and easy operation
- Variety of iron adapter strips, customised
- DIN rail mounting, without screwing, easy maintenance
- Bracket supporting, can be installed in the cabinet

Applications

- Internal application
- Data Centre or telecommunications networks
- For use in multi dwelling units or demarcation points within a network

Specifications

ELEMENT	VALUE	
Height	133mm	
Width	35mm	
Depth	130mm	
Suitable for Adaptor Type	SC Simplex, SC Duplex, LC, ST, FC	
Number of fibres	12	
Material	ABS + PC flame retardant plastic	
Operating Temperature	-40°Cto+60°C	
Compliant to	RoHS, Reach/SVHC	
Packaging	Dimension	Weight
Pizza Box	16.5*15.5*4.5cm	0.5Kgs
Carton	48.5*47*35cm	24Kgs

Ordering Information

	Adaptor		Fibre Type		Configuration		Adaptor Count	
OP-DIN-FB	00	LC	9	Singlemode	1	Simplex	02	2
	01	LCA	2	Multimode (OM1/OM2)	2	Duplex (Only for LC)	04	4
	02	SC	3	OM3		
	03	SCA	4	OM4			12	12
	04	ST						
	05	FC						
	06	FCA						

Example order code

OP-DIN-FB	-	02	-	91	-	12
-----------	---	----	---	----	---	----

Din Rail Fibre Terminal Box loaded with 12 SC Simplex Singlemode Adaptors

Additional Images

