



PS3 1U Sliding Patch Panel 24 Position SC Duplex/LC Quad

A robust 1U 19" rack mountable sliding patch panel, designed to accept up to 48 spliced fibres using SC duplex adaptors. In addition, it can be used with LC Quad adaptors combined with pre-terminated assemblies. It offers up to 4 cable entries for loose tube, tight buffered, steel tape armoured and pre-terminated cables, while the integrated strength member tie positions allow them to be securely placed inside the panel. It is designed with a sliding mechanism for ease access during re-work or installation.

Features

- 1U height
- 19" rack mountable
- Offered with SC Duplex
- Can be offered with LC Quad for use with pre-terminated cables
- Up to 48 spliced fibres with SC Duplex or 96 pre-terminated fibres with LC Quad
- Up to 24 adaptors
- Steel construction
- Individually labelled ports
- Accepts loose tube, distribution and pre-terminated cables
- RoHS, REACH and SvHC compliant

Applications

- Data centres
- Telecommunication networks
- Premise installations
- Indoor applications
- Ethernet, Fibre Channel, ATM, LAN, MAN and WAN

Specifications

ELEMENT	VALUE
Depth (mm)	205mm
Width (mm)	482mm
Height (mm)	44.44mm
Rack Units	1
Capacity	24 SC Duplex/LC Quad

Ordering Information

	Adaptor		Fibre Type		Configuration		Adaptor Count	
	Code	Type	Count	Type	Count	Type	Count	
OPPS3	00	LC	9	Singlemode	2	Duplex	01	1
	01	LCA	2	Multimode (OM1/OM2)	4	Quad	02	2
	02	SC	3	OM3			03	3
	03	SCA	4	OM4		
							24	24

Example order code

OPPS3 - 02 - 32 - 24

Sliding Patch Panel loaded with 24 SC Duplex OM3 (Aqua) Adaptors

Technical Drawing

